

File Listing Selection Plotting Configuration Help

Catalogue /acd/acd/photometry/photostandards/ii183/ii183.TXT, selection 1: Entire catalogue.

| Seq num | NAME | RA HOURS | DEC DEGREES | V Magnitude | B V Magnitude | U B Magnitude | Mag |
|------------|------------|-------------|----------------|----------------|------------------|------------------|-----|
| 1 | TPHE A | 0:30:09.0 | -46:31:22 | 14.651 | 0.793 | 0.380 | |
| 2 | TPHE B | 0:30:16.0 | -46:27:55 | 12.334 | 0.405 | 0.156 | |
| 3 | TPHE C | 0:30:17.0 | -46:32:34 | 14.376 | -0.298 | -1.217 | |
| 4 | TPHE D | 0:30:18.0 | -46:31:11 | 13.118 | 1.551 | 1.871 | |
| 5 | TPHE E | 0:30:19.0 | -46:24:36 | 11.630 | 0.443 | -0.103 | |
| 6 | TPHE F | 0:30:50.0 | -46:33:33 | 12.474 | 0.855 | 0.532 | |
| 7 | TPHE G | 0:31:05.0 | -46:22:43 | 10.442 | 1.546 | 1.915 | |
| 8 | PG0029+024 | 0:31:50.0 | 2:38:26 | 15.268 | 0.362 | -0.184 | |
| 9 | PG0039+049 | 0:42:05.0 | 5:09:44 | 12.877 | -0.019 | -0.871 | |
| 10 | 92 309 | 0:53:14.0 | 0:46:06 | 13.842 | 0.513 | -0.024 | |
| 11 | 92 235 | 0:53:16.0 | 0:36:22 | 10.595 | 1.638 | 1.984 | |
| 12 | 92 322 | 0:53:47.0 | 0:47:41 | 12.676 | 0.528 | -0.002 | |
| 13 | 92 245 | 0:54:16.0 | 0:39:56 | 13.818 | 1.418 | 1.189 | |
| 14 | 92 248 | 0:54:31.0 | 0:40:20 | 15.346 | 1.128 | 1.289 | |
| 15 | 92 249 | 0:54:34.0 | 0:41:10 | 14.325 | 0.699 | 0.240 | |
| 16 | 92 250 | 0:54:37.0 | 0:39:01 | 13.178 | 0.814 | 0.480 | |
| 17 | 92 330 | 0:54:44.0 | 0:43:31 | 15.073 | 0.568 | -0.115 | |
| 18 | 92 252 | 0:54:48.0 | 0:39:28 | 14.932 | 0.517 | -0.140 | |
| 19 | 92 253 | 0:54:52.0 | 0:40:24 | 14.085 | 1.131 | 0.955 | |
| 20 | 92 335 | 0:55:00.0 | 0:44:18 | 12.523 | 0.672 | 0.208 | |
| 21 | 92 339 | 0:55:03.0 | 0:44:16 | 15.579 | 0.449 | -0.177 | |

Next

Previous

Position

Top

Bottom

!(Info.) The catalogue contains 526 rows.